



### **Cambridge IGCSE**<sup>™</sup>

NAME

**CANDIDATE** 

CENTRE **NUMBER** 

**CANDIDATE NUMBER** 

**CHEMISTRY** 0620/31

Paper 3 Theory (Core)

October/November 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Any blank pages are indicated.

1 (a) Fig. 1.1 shows part of the Periodic Table.

I	II				Н	Ī			III	IV	V	VI	VII	VIII
				,		•							F	
Na									Αl		Р	S	Cl	Ar
K	Ca						Ni						Br	
													Ι	

2

Fig. 1.1

Answer the following questions using only the elements in Fig. 1.1. Each symbol of the element may be used once, more than once or not at all.

Give the symbol of the element that:

	(i)	produces a lilac colour in a flame test	
	(ii)	has an atom with only two occupied electron shells	[1]
(	iii)	is an unreactive gas	[1]
`	·		
(	iv)	forms an ion that gives a white precipitate after the addition of excess sodium hydroxic	
	(v)	forms an ion with a charge of 2–	[1]
(	vi)	is added to iron to make stainless steel.	[1]
(b)	Stai	inless steel is a mixture.	
		te <b>two</b> characteristics of a mixture.	
	2		 [2]

[Total: 8]



Question 2 starts on the next page.

3



[2]



- 2 Nitrogen molecules are diatomic.
  - (a) (i) State the meaning of the term diatomic. [1]
    - [1]
  - (b) Ammonia has a simple molecular structure.

State the percentage of nitrogen in clean, dry air.

Complete Fig. 2.1 to show the dot-and-cross diagram for a molecule of ammonia. Show outer shell electrons only.




Fig. 2.1

(c) Sodium chloride has a giant ionic structure of positive and negative ions.

(i) State the general name given to any positive ion.

......[1]

(ii) State **one** physical property of an ionic compound.

.....[1]



(d) Graphite is used as an electrode.

(i)	State one <b>other</b> use of graphite.	
		[1]
(ii)	Choose the correct statement that describes the str	ucture and bonding in graphite.
	Tick (✓) <b>one</b> box.	
	simple covalent molecule	
	giant ionic	
	simple ionic	
	giant covalent	<u> </u>
		[Total: 8]

5

3 (a) Polluted water can contain harmful substances such as plastics and phosphates.

State two **other** types of harmful substance in polluted water.

1
---

2 ......[2]

(b) Table 3.1 shows the masses of ions, in mg, present in a 1000 cm<sup>3</sup> sample of polluted water.

Table 3.1

name of ion	formula of ion	mass of ion in 1000 cm <sup>3</sup> of polluted water/mg		
ammonium	NH <sub>4</sub> <sup>+</sup>	0.6		
bromide	Br⁻	0.3		
calcium	Ca <sup>2+</sup>	2.5		
chloride	C1-	2.5		
hydrogencarbonate	HCO <sub>3</sub> -	12.0		
magnesium	Mg <sup>2+</sup>	0.8		
	NO <sub>3</sub> -	0.4		
phosphate	PO <sub>4</sub> <sup>3-</sup>	0.5		
potassium	K <sup>+</sup>	5.3		
silicate	SiO <sub>3</sub> <sup>2-</sup>	3.0		
sodium	Na⁺	9.2		
sulfate	SO <sub>4</sub> <sup>2-</sup>	0.5		

Answer these questions using the information from Table 3.1.

<ul><li>(i) Name the negative ion that has the lowest concentrate</li></ul>	ation.
---	--------

.....[1]

(ii) State the name of the NO<sub>3</sub><sup>-</sup> ion.

\_\_\_\_\_\_[1]


(iii) Calculate the mass of sodium ions in 250 cm<sup>3</sup> of polluted water.

mass = ..... mg [1]

(d)



(c) Fig. 3.1 shows some of the stages in the treatment of the domestic water supply.



7

Fig. 3.1

(i)	Complete Fig. 3.1 by adding the final stage.	[1]
(ii)	State why carbon is added to drinking water.	
		[1]
Des	scribe how to test the purity of water using melting point.	

(e) Complete the symbol equation for the reaction of phosphorus(V) chloride,  ${\rm PC}\,l_{\rm 5}$ , with water.

$$2PCl_5 + 8H_2O \rightarrow .....H_3PO_4 + .....HCl$$
 [2]

[Total: 11]

4 (a) Fig. 4.1 shows the displayed formula of compound A.




Fig. 4.1

(i)	Explain why compound <b>A</b> is described as unsaturated.	
		[1]
(ii)	Explain why compound <b>A</b> is a hydrocarbon.	
		[1]
(iii)	Deduce the molecular formula of compound <b>A</b> .	
		[1]
(b) Cor	mpound <b>A</b> reacts with steam to produce an alcohol.	
(i)	State the general formula for the homologous series of alcohols.	
		[1]
(ii)	Ethanol is an alcohol which can be manufactured by fermentation.	
	Name two substances needed for fermentation.	
	1	
	2	
	Give two conditions needed for fermentation.	
	1	
	2	
		[4]
(iii)	State <b>one</b> use of ethanol.	
		[1]



(c) A compound in the same homologous series as compound A reacts with ozone, O<sub>3</sub>, to form compound B.

9

(i)	Define the term homologous series.	
	[2	2]

(ii) The molecular formula for compound  $\boldsymbol{B}$  is  $C_6H_{12}O_3.$ 

Complete Table 4.1 to calculate the relative molecular mass of  $C_6H_{12}O_3$ .

Table 4.1

type of atom	number of atoms	relative atomic mass	
carbon	6	12	6 × 12 = 72
hydrogen		1	
oxygen		16	

relative molecular mass = .....[2]

[Total: 13]

[2]

**5** (a) Table 5.1 shows some properties of five halogens.

#### Table 5.1

halogen	melting point /°C	boiling point /°C	atomic radius /nm	
fluorine	-220	-188		
chlorine	-101	-35	0.099	
bromine	<b>-7</b>	+59	0.114	
iodine		+184	0.133	
astatine	+302	+337	0.155	

Use the information in Table 5.1 to predict:

- (i) the melting point of iodine ......[1]
- (ii) the atomic radius of fluorine ......[1]
- (iii) the physical state of bromine at 0 °C. Give a reason for your answer.

- (b) Aqueous chlorine reacts with aqueous potassium iodide.
  - (i) Complete the word equation for this reaction.



(ii) Explain why aqueous iodine does **not** react with aqueous potassium bromide.

......[1]



(c) Fluorine reacts with hot concentrated sodium hydroxide to produce sodium fluoride, water and oxygen.

11

(i) Complete the symbol equation for this reaction.

$$2F_2 + 4NaOH \rightarrow .....NaF + 2H_2O + .....$$
 [2]

(ii) Describe a test for oxygen.

test	 	 	 	

[Total: 11]

[2]

[1]

Thi		estion is abo									
(a)	Me	tals are goo	d electrica	conductors.							
	State three <b>other</b> typical physical properties of metals.										
	1										
	2										
	3										
							[3]				
(b)	(i)			to show the the nickel ion s		ectrons, neutro	ons and protons in the				
				Та	ble 6.1						
				number of electrons	number of neutrons	number of protons					
			<sup>41</sup> <sub>19</sub> K	19							
			<sup>62</sup> <sub>28</sub> Ni <sup>2+</sup>		34						
							[3]				
	(ii)	Write the e	electronic c	onfiguration of	the potassium	atom.					
	` ,						[1]				
(c)	Ch	oose <b>one</b> pr	operty fror	n the list that sl	hows that nicke	el is a transitior	n element.				
	Tic	k ( <b>√</b> ) <b>one</b> bo	OX.		_						
				has a low dens	ity						
			1	forms coloured	compounds						
				has a low melti	ng point						

does **not** act as a catalyst

\* 0000800000013 \*

(d) Nickel can be manufactured by reducing nickel(II) oxide with carbon monoxide and hydrogen.

2NiO + CO + 
$$\rm H_2 \, \rightarrow \, 2Ni$$
 +  $\rm H_2O$  +  $\rm CO_2$ 

13

Explain how this equation shows that nickel(II) oxide is reduced.

......[1

(e) Table 6.2 shows the observations when four different metals are heated with steam.

Table 6.2

metal	observations with steam				
chromium	forms an oxide layer slowly				
copper	forms an oxide layer very slowly				
magnesium	forms an oxide layer rapidly				
niobium	does not form an oxide layer				

Put the four metals in order of their reactivity.

Put the least reactive metal first.

least reactive —		-	most reactive

[2]

[Total: 11]



- 7 This question is about acids, bases and salts.
  - (a) Crystals of potassium chloride can be made by reacting an acid with an alkali.

(i)	Name the acid and the alkali used.
	acid
	alkali[2]
(ii)	Choose from the list the type of reaction that takes place when an acid reacts with an alkali.

Draw a circle around your chosen answer.

	addition	neutralisation	redox	substitution	[1]
(iii)	Thymolphthalein is	an acid–base indicat	tor.		
	State the colour of	thymolphthalein at pl	∃2 and at p⊦	112.	
	colour at pH2				
	colour at pH12				[2]
(iv)	Describe how to n potassium chloride	• •	potassium c	hloride from an aqueo	us solution of



(b) Crystals of potassium chloride dissolve in water. This process is endothermic.

15

Define the term endothermic.
[1]
_ ····

(ii) Fig. 7.1 shows the reaction pathway diagram for dissolving potassium chloride in water.




Fig. 7.1

Answer the following questions using the information in Fig. 7.1.

•	State the meaning of the state symbol (I).
•	Explain how Fig. 7.1 shows that dissolving potassium chloride in water is endothermic

[Total: 10]

[2]



**8** (a) A student investigates the reaction of small pieces of zinc with excess dilute sulfuric acid of three different concentrations.

The time taken for each reaction to finish is recorded.

The three concentrations of the acid are:

- 0.2 mol/dm<sup>3</sup>
- 0.4 mol/dm<sup>3</sup>
- 0.8 mol/dm<sup>3</sup>.


All other conditions stay the same.

Table 8.1 shows the time taken for each reaction to finish.

Table 8.1

concentration of dilute sulfuric acid in mol/dm³	time taken for the reaction to finish in s
	92
	23
	46

(i)	Complete Table 8.1 by writing the concentrations in the first column.	[1]
(ii)	Describe the effect on the time taken for the reaction to finish when the reaction is carriout in the presence of a catalyst.	ed
	All other conditions stay the same.	
		[1]
(iii)	Describe the effect on the time taken for the reaction to finish when larger pieces of zi are used instead of small pieces of zinc.	inc
	All other conditions stay the same.	



	(i)	Name the products a	t the positive and r	egative electrod	des.			
	(i) Name the products at the positive and negative electrodes.  product at the positive electrode							
		product at the negative	e electrode			[2]		
	(ii)	Choose from the list t	he metal used as	an inert electrod	e.			
		Draw a circle around	your chosen answ	er.				
		calcium	magnesium	platinum	sodium	[1]		
(c)	Des arra	c is a solid at room tenscribe the arrangemen	t and separation of					
						[2]		

[Total: 8]



**BLANK PAGE** 

18

\* 0000800000019 \*

19

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.



## \* 0000800000020 \*

# The Periodic Table of Elements

| 2<br>He<br>helium<br>4 | 10<br>Ne      | neon<br>20  
   
   | 18  | Ar  
   | argon<br>40   
   
   | 36  
   
  | 궃  
   
  | krypton<br>84   | 54  | Xe       | xenon<br>131  
  | 98   | R  | radon   | 118  
                | Og  | oganesson   |   |
|------------------------|---------------
--
--
---|---
---
--
--
---
--
--
--
--
--
---|---|---|----------|--|--
--|---|---|---
---|---|
|                        | 6 ப           | fluorine<br>19  
   
   | 17  | Cl  
   | chlorine<br>35.5  
   
   | 35  
   
  | Ŗ  
   
  | bromine<br>80   | 53  | П        | iodine<br>127   
  | 85   | ¥  | astatine<br>-   | 117  
                | <u>S</u>  | tennessine  |   |
|                        | ® О           | oxygen<br>16  
   
   | 16  | ഗ   
   | sulfur<br>32  
   
   | 34  
   
  | Se   
   
  | selenium<br>79  | 52  | <u>e</u> | tellurium<br>128  
  | 84   | Ъ  | moloui<br>—   | 116  
                | _   | livermorium<br>-  |   |
|                        | <b>≻</b> Z    | nitrogen<br>14  
   
   | 15  | ₾   
   | phosphorus<br>31  
   
   | 33  
   
  | As   
   
  | arsenic<br>75   | 51  | Sp       | antimony<br>122   
  | 83   | <u>B</u>   | bismuth<br>209  | 115  
                | Mc  | moscovium<br>-  |   |
|                        | 。Ο            | carbon<br>12  
   
   | 14  | S   
   | silicon<br>28   
   
   | 32  
   
  | Ge   
   
  | germanium<br>73   | 20  | Sn       | tin<br>119  
  | 82   | Pb   | lead<br>207   | 114  
                | Εl  | flerovium<br>-  |   |
|                        | 5<br><b>D</b> | boron<br>11   
   
   | 13  | Αl  
   | aluminium<br>27   
   
   | 31  
   
  | Ga   
   
  | gallium<br>70   | 49  | In       | indium<br>115   
  | 81   | 1L   | thallium<br>204   | 113  
                | R   | nihonium  |   |
|                        |               |   
   
   |   |   
   |   
   
   | 30  
   
  | Zu   
   
  | zinc<br>65  | 48  | ပ္ပ      | cadmium<br>112  
  | 80   | Hg   | mercury<br>201  | 112  
                | S   | copernicium<br>-  |   |
|                        |               |   
   
   |   |   
   |   
   
   | 59  
   
  | Cn   
   
  | copper<br>64  | 47  | Ag       | silver<br>108   
  | 6/   | Au   | gold<br>197   | 111  
                | Rg  | roentgenium<br>-  |   |
|                        |               |   
   
   |   |   
   |   
   
   | 28  
   
  | Z  
   
  | nickel<br>59  | 46  | Pd       | palladium<br>106  
  | 78   | Ŧ  | platinum<br>195   | 110  
                | Ds  | darmstadtium<br>-   |   |
|                        |               |   
   
   |   |   
   |   
   
   | 27  
   
  | ဝိ   
   
  | cobalt<br>59  | 45  | 몬        | rhodium<br>103  
  | 77   | 'n   | indium<br>192   | 109  
                | Ĭ   | meitnerium<br>-   |   |
| T<br>hydrogen          |               |   
   
   |   |   
   |   
   
   | 26  
   
  | Fe   
   
  | iron<br>56  | 44  | Ru       | ruthenium<br>101  
  | 92   | SO   | osmium<br>190   | 108  
                | Hs  | hassium<br>-  |   |
|                        |               |   
   
   |   |   
   |   
   
   | 25  
   
  | Mn   
   
  | manganese<br>55   | 43  | ပ        | technetium<br>-   
  | 75   | Re   | rhenium<br>186  | 107  
                | Bh  | bohrium<br>–  |   |
|                        | _ lod         | ass   
   
   |   |   
   |   
   
   | 24  
   
  | ပ်   
   
  | chromium<br>52  | 42  | Mo       | molybdenum<br>96  
  | 74   | ≥  | tungsten<br>184   | 106  
                | Sg  | seaborgium<br>-   |   |
| Key                    | atomic numbe  | name<br>ative atomic m  
   
   |   |   
   |   
   
   | 23  
   
  | >  
   
  | vanadium<br>51  | 41  | Q<br>N   | niobium<br>93   
  | 73   | Б  | tantalum<br>181   | 105  
                | op<br>O   | dubnium<br>-  |   |
|                        | atc           | <u>le</u>   
   
   |   |   
   |   
   
   | 22  
   
  | j  
   
  | titanium<br>48  | 40  | Zr       | zirconium<br>91   
  | 72   | Ξ  | hafnium<br>178  | 104  
                | 껖   | rutherfordium<br>-  |   |
|                        |               |   
   
   |   |   
   |   
   
   | 21  
   
  | Sc   
   
  | scandium<br>45  | 39  | >        | yttrium<br>89   
  | 57–71  | lanthanoids  |   | 89–103   
                | actinoids   |   |   |
|                        | Pe 4          | beryllium<br>9  
   
   | 12  | Mg  
   | magnesium<br>24   
   
   | 20  
   
  | Ca   
   
  | calcium<br>40   | 38  | ഗ്       | strontium<br>88   
  | 56   | Ва   | barium<br>137   | 88   
                | Ra  | radium  |   |
|                        | з<br>Г.       | lithium<br>7  
   
   | 11  | Na  
   | sodium<br>23  
   
   | 19  
   
  | ¥  
   
  | potassium<br>39   | 37  | Вb       | rubidium<br>85  
  | 55   | Cs   | caesium<br>133  | 87   
                | ŗ   | francium<br>-   |   |
|                        | T Inydrogen   | Key         H         Phydrogen atomic number         F         F         F         B         F         B         F         B         F         B         F         B         F         F         B         F         B         F         B         F         F         B         F         B         F         B         F         F         B         F <td>Key         Thydrogen 1 atomic number         Factorial mane atomic mass         Thydrogen 1 page 1</td> <td>Key         Invitogen 1         Thydrogen 1         Thydrogen 2         Thydrogen 3         T</td> <td>Key         hydrogen 1         tydrogen 2         tydrogen 2         tydrogen 3         tydrogen 3<td>Key         hydrogen         hydrogen         Thydrogen         <th col<="" td=""><td>  The control of the</td><td>  The control of the</td><td>  1</td><td>  This control of the control of the</td><td>  The continuary conti</td><td>  The control countrol countro</td><td>  The control of the</td><td>  The continue   The</td><td>  The continue and the</td><td>  The control of the</td><td>  The color   The</td></th></td></td> | Key         Thydrogen 1 atomic number         Factorial mane atomic mass         Thydrogen 1 page 1 | Key         Invitogen 1         Thydrogen 1         Thydrogen 2         Thydrogen 3         T | Key         hydrogen 1         tydrogen 2         tydrogen 2         tydrogen 3         tydrogen 3 <td>Key         hydrogen         hydrogen         Thydrogen         <th col<="" td=""><td>  The control of the</td><td>  The control of the</td><td>  1</td><td>  This control of the control of the</td><td>  The continuary conti</td><td>  The control countrol countro</td><td>  The control of the</td><td>  The continue   The</td><td>  The continue and the</td><td>  The control of the</td><td>  The color   The</td></th></td> | Key         hydrogen         hydrogen         Thydrogen         Thydrogen <th col<="" td=""><td>  The control of the</td><td>  The control of the</td><td>  1</td><td>  This control of the control of the</td><td>  The continuary conti</td><td>  The control countrol countro</td><td>  The control of the</td><td>  The continue   The</td><td>  The continue and the</td><td>  The control of the</td><td>  The color   The</td></th> | <td>  The control of the</td> <td>  The control of the</td> <td>  1</td> <td>  This control of the control of the</td> <td>  The continuary conti</td> <td>  The control countrol countro</td> <td>  The control of the</td> <td>  The continue   The</td> <td>  The continue and the</td> <td>  The control of the</td> <td>  The color   The</td> | The control of the | The control of the | 1        | This control of the | The continuary conti | The control countrol countro | The control of the | The continue   The | The continue and the | The control of the | The color   The |

20

	Д						
64	В	gadolinium	2 90	<u>د</u> د	5	curium	I
63	Eu	europium	2CI AQ	3 <	=	americium	I
62	Sm	samarium	2 8		ב	plutonium	ı
61	Pm	promethium	- 03	3 2	2	neptunium	ı
09	PN	neodymium	<u>‡</u> 6	76	ס	uranium	238
29	Ā	praseodymium	2 2	, <u>C</u>	ם	protactinium	231
28	Ce	cerium	0+1	<u>۲</u>	=	thorium	232
22	Га	lanthanum	80	3 <	2	actinium	I
	lanthanoids			00:00:	aciii lolds		

Lu Lu lutetium 175 103

Yb Ybrerbium 173 102 No

Tm thulium 169 101 Md

Er erbium 167 100 Fm

67 HO holmium 165 99 ES

Dy dysprosium 163 98 Cf

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).